

**EXHIBIT A**

--NEW--  
SHEET

<b>FIGURE 1a: CLINICAL HISTORY OF SUBJECTS 1-4</b>				
Age and sex	1. 12 year old Female	2. 77 year old Male	3. 35 year Old Male	4. 49 year Old Male
Racial/ethnic background	British, white	British, white	German, white	Chinese
Occupation	Student	Real estate broker	Computer technician	Engineer
Affected areas	Elbows, inner arm, scalp, left ear	Elbows, knees, wrists, scalp, and face.	Knees and shins	Arms, elbows, hands
Duration	6.5 years	57 years	4-5 years	2 years
Severity	Elbows and arms severe. Ears and scalp moderate.	Severe thick scaly plaque psoriasis.	Moderate	Moderate
Previous therapy	Betnovate, cortisone cream, other topicals	Synalar, Betnovate, X-rays, UV, oral cortisone, miscellaneous topical ointments	Sensitive to coal tar, so used hydrocortisone creams and herbal ointments. All of above caused slow improvement during use, with flare ups after a few weeks.	Prescription creams. Creams worked after about 2 weeks but lesions soon recurred.
Response to formulation in Study 4	Improvement noted in 2 days, lesions disappeared in 2 weeks with no redness or scarring	Elbows, hands and facial lesions disappeared after two weeks; the knees took four weeks. (His wife noted that this is the first time she has know him to be completely free of psoriasis.)	(Note: This subject was successfully treated with formulation in Study 3, and did not participate in Study 4. however, after treatment, his lesions disappeared in 4 days, with no recurrence in over 4 months.)	Lesions improved in one week, disappeared in 2-3 weeks.
Note: Subjects 1, 2 and 3 all have a family history of psoriasis.				

--NEW--  
SHEET

<b>FIGURE 1b: CLINICAL HISTORY OF SUBJECTS 5-8</b>				
Age and sex	5. 19 month old Male	6. 80 year old Female	7. 29 year old Female	8. 4.5 year old Male
Racial/ethnic background	British, white	Italian, white	Portugese, white	American, black
Occupation	N/A	Retired librarian	Film/TV artist	Pre-school
Affected areas	Face, legs, feet	Forearms, lower leg and shins, back of hands. 2 years.	Elbows, face, knees, small patches on legs.	Elbows and knees
Duration	18 months	2 years	5 years	2 years
Severity	Severe; exacerbated by allergens	Severe and very irritated	Moderate	Mild-Moderate
Previous therapy	Aveeno, emu oil, hydrocortisone	Betamethasone, 1% cortisone, herbal creams	Cortisone cream, emu oil and steam baths. Cortisone did not work. Emu oil and steam baths helped.	Betnovate, various topical ointments. Temporary. Required repeated treatments.
Response to formulation in Study 4	Improved in 3 days. Lesions gone in one week. Recurred on exposure to wheat, but formulation led to greatly accelerated healing compared to previous treatments.  (See photo, Fig. 2a, which was taken one day after twice daily application of formulation and bottom photo, Fig. 2b, which was taken one week later).	Improved in 5-7 days. Lesions completely gone in 7-10 days.	Scabs and flaky skin were gone in 3 days. The redness was gone several days later.	Itching stopped after 2 days; lesions gone in one week  (Note: He has an affected parent who also benefited from this cream.)
Note: Subject 8 has a family history of eczematous lesions.				